

# ***Environmental Appliances***

## **Ningbo Eap Electronic Technology Co.,Ltd**

Sales Center: Room1702 JiaMei Building, No.746 Taikang Road,  
Yinzhou District, Ningbo, Zhejiang Province,China (P.C:315199)

Email: [sales@eapelec.com](mailto:sales@eapelec.com) [eap@eapelec.com](mailto:eap@eapelec.com)

Tel:0086 57489217856 0086 57489217858

Web: [www.eapelec.com](http://www.eapelec.com)



**Ningbo Eap Electronic Technology Co.,Ltd**

**Make Life Easier!**



## Factory plants



## Company profile

Ningbo EAP Electronic Technology Co.,Ltd is a professional, diversified, market-driven electrical products company.The headquarter is located in Ningbo city China,which is famous manufacturing and exporting center of various electrical appliances,mechanical electronics ,electrical accessories---etc.

Since its foundation,EAP specializes in kitchen appliances,home appliances,health purifiers,smart electrical products--etc.Supported by our dedicated team of R&D,Design,Manufacturing,Quality controls,Marketing,Sales,and After-sales personnel,EAP has become one of the favorite partners among the customers around the worldwide.

EAP aims not only to be a product supplier,but also to offer total solutions in our products,supply chain & services.Till now,many of our products have passed the certificate CE,RoHS,ETL,EPA,FCC CCC and others.And our services include OEM,ODM,packaging design,product consult,one-stop supply--etc.

Our products have been exported to more than 30 countries,such as USA,Canada,Brazil, Germany,Spain,France,Poland,Mexico,Singapore,Israel,Russia,Thailand,Indonesia,and so on.We have established a comprehensive quality control system that keeps products in accordance with the regulations of ISO9001:2000. Our quality control is implemented in every step of the production process.

“Make Life Easier!”- EAP is looking forward to strong and long-term cooperation relationships with all clients ,and also to seek new business collaborations and opportunities for market expansion & diversification around the worldwide.


## Certificate



01

**Air Purifier**

Page 1-22



02

**Dehumidifier**

Page 23-29



03

**Humidifier**

Page 31-34



04

**Aroma Diffuser**

Page 36-40



# Air Purifier





## EAP-AP001

CADR	40m <sup>3</sup> /h
Effective area	5m <sup>2</sup>
Rated power	10W
Rated voltage	12V
N.W/G.W	1.2KG/2.3KG
Item size	400*165*60mm
Packing size	527*470*462mm(6PCS)
Max noise	≤55dB
20GP/40GP/40HQ	1152/2400/3000(PCS)

## Function

Multiple filtration (Pre filter,HEPA filter)  
3 fan speeds adjustment  
PM2.5 realtime display  
Two fans design with higher efficiency purification

## EAP-AP002

CADR	5.3m <sup>3</sup> /h
Effective area	1m <sup>2</sup>
Rated power	10W
Rated voltage	DC5V
N.W/G.W	1.2KG/2.3KG
Item size	φ74*285mm
Packing size	525*325*330mm (15PCS)
Max noise	≤40dB
20GP/40GP/40HQ	7005/14445/17715(PCS)

## Function

Multilayer filtration (compound filter cloth with carbon)  
3 fan speeds adjustment  
PM2.5 realtime display  
Two fans design with higher efficiency purification



## EAP-AP003

CADR	50m <sup>3</sup> /h
Effective area	6m <sup>2</sup>
Rated power	17W
Rated voltage	220-240V
N.W/G.W	1.8KG/2.6KG
Item size	Φ170*232mm
Packing size	455*405*285mm(4PCS)
Max noise	≤55dB
20GP/40GP/40HQ	2136/4396/5160(PCS)

## Function

Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
Filter replacement indicator  
3 fan speeds adjustment  
Optional high efficiency filter net with carbon  
Aromatherapy function



## EAP-AP004

CADR	150m <sup>3</sup> /h
Effective area	18m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W/G.W	2.4KG/3.2KG
Item size	Φ213*280mm
Packing size	573*550*355mm(4PCS)
Max noise	≤59dB
20GP/40GP/40HQ	960/2032/2368(PCS)

## Function

Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
Filter replacement indicator  
3 fan speeds adjustment  
Optional high efficiency filter net with carbon  
Aromatherapy function



## EAP-AP005B

CADR	150m <sup>3</sup> /h
Effective area	18m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W/G.W	2.4KG/3.2KG
Item size	Φ213*280mm
Packing size	580*555*360mm(4PCS)
Max noise	≤55dB
20GP/40GP/40HQ	952/1980/2320(PCS)

## Function

Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
Filter replacement indicator  
3 fan speeds adjustment  
Optional high efficiency filter net with carbon  
Aromatherapy function



## EAP-AP005A

CADR	150m <sup>3</sup> /h
Effective area	15m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W/G.W	2.4KG/3.2KG
Item size	Φ213*280mm
Packing size	568*548*365mm(4PCS)
Max noise	≤59dB
20GP/40GP/40HQ	992/2016/2352(PCS)

## Function

Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
Filter replacement indicator  
3 fan speeds adjustment  
Optional high efficiency filter net with carbon  
Aromatherapy function





### EAP-AP005C

CADR	150m <sup>3</sup> /h
Effective area	18m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W./G.W	2.7KG/3.3KG
Item size	221*221*305mm
Packing size	570*570*394mm(4PCS)
Max noise	≤61dB
20GP/40GP/40HQ	864/1760/2080(PCS)

### Function


Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 Filter replacement indicator  
 3 fan speed adjustment  
 Optional high efficiency filter net with carbon  
 Optional atmosphere night light  
 Optional tvoc sensor

### EAP-AP006

CADR	110m <sup>3</sup> /h
Effective area	15m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W./G.W	2.4KG/3.7KG
Item size	240*240*210mm
Packing size	585*585*313mm(4PCS)
Max noise	≤60dB
20GP/40GP/40HQ	900/1920/2240(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + Ionizer)  
 Filter replacement indicator  
 3 fan speed adjustment  
 Optional high efficiency filter net with carbon  
 Air quality indicator light



### EAP-AP007A

CADR	240m <sup>3</sup> /h
Effective area	29m <sup>2</sup>
Rated power	50W
Rated voltage	220-240V
N.W./G.W	3.3KG/3.9KG
Item size	Φ170*232mm
Packing size	565*565*435mm (4PCS)
Max noise	≤61dB
20GP/40GP/40HQ	800/1632/1952(PCS)

### Function

Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 Filter replacement indicator  
 3 fan speed adjustment  
 Optional high efficiency filter net with carbon  
 Timer  
 High efficiency dust sensor  
 Air quality indicator light

### EAP-AP007B

CADR	240m <sup>3</sup> /h
Effective area	29m <sup>2</sup>
Rated power	50W
Rated voltage	220-240V
N.W./G.W	3.5KG/5.0KG
Item size	248*248*364mm
Packing size	310*310*435mm
Max noise	≤61dB
20GP/40GP/40HQ	661/1345/1597(PCS)

### Function

Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 Filter replacement indicator  
 3 fan speed adjustment  
 Optional high efficiency filter net with carbon  
 Timer  
 High efficiency dust sensor  
 Air quality indicator light



### EAP-AP008

Packing size	550*550*445mm
Item size	226*226*372mm
20GP/40GP/40HQ	816/1680/1932(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 Filter replacement indicator  
 3 fan speed  
 Timer  
 High efficiency dust sensor

### EAP-AP009A

CADR	220m <sup>3</sup> /h
Effective area	28m <sup>2</sup>
Rated power	20W
Rated voltage	220-240V
N.W./G.W	5.5KG/6.1KG
Item size	325*202*530mm
Packing size	400*275*615mm
Max noise	≤59dB
20GP/40GP/40HQ	408/844/998(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator - children safe lock  
 3 fan speed ,auto mode , sleep mode  
 Timer PM2.5 air quality DC motor digital display





### EAP-AP009B

CADR	120m <sup>3</sup> /h
Effective area	15m <sup>2</sup>
Rated power	20W
Rated voltage	220-240V
N.W/G.W	3.4KG/5.5KG
Item size	284*173*439mm
Packing size	370*240*530mm
Max noise	≤59dB
20GP/40GP/40HQ	589/1200/1412(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed ,auto mode , sleep mode  
 Timer  
 PM2.5 air quality digital display

### EAP-AP012

CADR	30m <sup>3</sup> /h
Effective area	28m <sup>2</sup>
Rated power	15W
Rated voltage	220-240V
N.W/G.W	2.2KG/3.0KG
Item size	260*150*450mm
Packing size	315*190*500mm
Max noise	≤52dB
20GP/40GP/40HQ	790/1616/1918(PCS)

### Function

Filter filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency air sensor  
 Filter replacement indicator  
 3 fan speed ,auto mode  
 Timer Air quality indicator by color



### EAP-AP010

CADR	300m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	60W
Rated voltage	220-240V
N.W/G.W	6.6KG/7.5KG
Item size	338*210*610mm
Packing size	400*260*695mm
Max noise	≤59dB
20GP/40GP/40HQ	383/793/936(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed ,auto mode , sleep mode  
 Timer

### EAP-AP011

CADR	220m <sup>3</sup> /h
Effective area	28m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	5.5KG/6.5KG
Item size	317*180*535mm
Packing size	385*250*620mm
Max noise	≤59dB
20GP/40GP/40HQ	456/945/1143(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed ,auto mode , sleep mode  
 Timer



### EAP-AP013

CADR	277m <sup>3</sup> /h
Effective area	38m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	6.2KG/7.9KG
Item size	325*180*565mm
Packing size	395*260*640mm
Max noise	≤58dB
20GP/40GP/40HQ	405/863/1019(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Filter replacement indicator \ children safe lock  
 3 fan speed ,auto mode , sleep mode  
 Timer  
 2 number air quality index

### EAP-AP014

CADR	277m <sup>3</sup> /h
Effective area	38m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	6.2KG/7.9KG
Item size	325*180*565mm
Packing size	395*260*640mm
Max noise	≤58dB
20GP/40GP/40HQ	405/863/1019(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Filter replacement indicator \ children safe lock  
 3 fan speed ,auto mode , sleep mode  
 Timer  
 2 number air quality index





## EAP-AP015

CADR	222m <sup>3</sup> /h
Effective area	28m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	3.4KG/5.5KG
Item size	328*182*495mm
Packing size	400*245*575mm
Max noise	≤59dB
20GP/40GP/40HQ	489/1014/1199(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator  
 Filter replacement indicator \ children safe lock  
 3 fan speed ,auto mode , sleep mode  
 Timer

## EAP-AP015B

CADR	180m <sup>3</sup> /h
Effective area	22m <sup>2</sup>
Rated power	40W
Rated voltage	220-240V
N.W/G.W	4.7KG/6.3KG
Item size	328*182*495mm
Packing size	400*245*605mm
Max noise	≤59dB
20GP/40GP/40HQ	471/963/1134(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Filter replacement indicator \ children safe lock  
 3 fan speed ,auto mode , sleep mode  
 Timer



## EAP-AP015C

CADR	180m <sup>3</sup> /h
Effective area	22m <sup>2</sup>
Rated power	44W
Rated voltage	220V
N.W/G.W	4.7KG/5.0KG
Item size	328*182*495mm
Packing size	400*245*605mm
Max noise	≤59dB
20GP/40GP/40HQ	471/963/1134(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Filter replacement indicator \ children safe lock  
 3 fan speed ,auto mode , sleep mode  
 Timer

## EAP-AP016

CADR	300m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W/G.W	6.2KG/8.0KG
Item size	380*230*560mm
Packing size	435*280*630mm
Max noise	≤61dB
20GP/40GP/40HQ	360/737/884(PCS)

### Function

Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed ,auto mode , sleep mode  
 Timer  
 PM2.5 air quality display



## EAP-AP016A

CADR	306m <sup>3</sup> /h
Effective area	37m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W/G.W	6.0KG/8.0KG
Item size	380*230*620mm
Packing size	445*290*700mm
Max noise	≤66dB
20GP/40GP/40HQ	299/600/738(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer

## EAP-AP016B

CADR	300m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	68W
Rated voltage	220-240V
N.W/G.W	5.5KG/7.3KG
Item size	380*230*560mm
Packing size	435*280*630mm
Max noise	≤66dB
20GP/40GP/40HQ	360/736/868(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer







### EAP-AP019

CADR	300m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W./G.W	6.1KG/8.0KG
Item size	380*215*525mm
Packing size	465*300*620mm
Max noise	≤61dB
20GP/40GP/40HQ	318/650/782(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer

### EAP-AP019A

CADR	308m <sup>3</sup> /h
Effective area	38m <sup>2</sup>
Rated power	68W
Rated voltage	220-240V
N.W./G.W	6.3KG/8.1KG
Item size	380*215*565mm
Packing size	450*270*640mm
Max noise	≤65dB
20GP/40GP/40HQ	358/720/876(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer  
 PM2.5 realtime display



### EAP-AP017

CADR	300m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	68W
Rated voltage	220V
N.W./G.W	6.8KG/9.2KG
Item size	395*233*593mm
Packing size	490*310*690mm
Max noise	≤60dB
20GP/40GP/40HQ	263/539/689(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer  
 PM2.5 realtime display

### EAP-AP018

CADR	300m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	52W
Rated voltage	220-240V
N.W./G.W	7.1KG/9.0KG
Item size	252*278*560mm
Packing size	355*330*645mm
Max noise	≤66dB
20GP/40GP/40HQ	357/738/876(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer



### EAP-AP020

CADR	300m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	52W
Rated voltage	220-240V
N.W./G.W	7.1KG/9.0KG
Item size	525*278*560mm
Packing size	355*330*645mm
Max noise	≤66dB
20GP/40GP/40HQ	357/738/876(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer  
 Optional wireless charging



### EAP-AP021

CADR	300m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W./G.W	6.7KG/8.7KG
Item size	380*230*560mm
Packing size	440*275*625mm
Max noise	≤66dB
20GP/40GP/40HQ	426/882/1000(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer



## EAP-AP022A

CADR	330m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	40W
Rated voltage	220-240V
N.W./G.W	6.4KG/9.2KG
Item size	590*384*100mm
Packing size	675*225*523mm
Max noise	≤66dB
20GP/40GP/40HQ	358/733/865(PCS)

### Function


Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer  
 PM2.5 realtime display  
 Optional desk support and wall bracket

## EAP-AP022B

CADR	300m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	40W
Rated voltage	110-220V
N.W./G.W	5.4KG/8.4KG
Item size	590*395*100mm
Packing size	680*192*505mm
Max noise	≤66dB
20GP/40GP/40HQ	419/871/1022(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer PM2.5 realtime display  
 Optional desk support and wall bracket



## EAP-AP023

CADR	350m <sup>3</sup> /h
Effective area	54m <sup>2</sup>
Rated power	55W
Rated voltage	220-240V
N.W./G.W	6.8KG/8.5KG
Item size	405*250*592mm
Packing size	465*315*673mm
Max noise	≤60dB
20GP/40GP/40HQ	272/566/681(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer  
 PM2.5 realtime display  
 Infrared remote control



## EAP-AP023A

CADR	370m <sup>3</sup> /h
Effective area	57m <sup>2</sup>
Rated power	55W
Rated voltage	220-240V
N.W./G.W	7.6KG/9.9KG
Item size	409*250*605mm
Packing size	485*330*695mm
Max noise	≤64dB
20GP/40GP/40HQ	242/505/597(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Visible air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer PM2.5 realtime display  
 Infrared remote control



## EAP-AP025

CADR	580m <sup>3</sup> /h
Effective area	70m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W./G.W	9.0KG/11.5KG
Item size	435*230*660mm
Packing size	500*300*745mm
Max noise	≤68dB
20GP/40GP/40HQ	253/516/601(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer

## EAP-AP024

CADR	500m <sup>3</sup> /h
Effective area	66m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W./G.W	7.8KG/10.6KG
Item size	328*328*696mm
Packing size	418*410*815mm
Max noise	≤60dB
20GP/40GP/40HQ	175/350/420(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer PM2.5 realtime display





## EAP-AP026

CADR	630m <sup>3</sup> /h
Effective area	76m <sup>2</sup>
Rated power	90W
Rated voltage	220-240V
N.W./G.W	8.5KG/10.5KG
Item size	451*218*715mm
Packing size	535*295*805mm
Max noise	≤69dB
20GP/40GP/40HQ	216/441/508(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer  
 PM2.5 realtime display

## EAP-AP027

CADR	950m <sup>3</sup> /h
Effective area	114m <sup>2</sup>
Rated power	120 W
Rated voltage	220-240V
N.W./G.W	14.5KG/18.2KG
Item size	400*390*720mm
Packing size	493*480*820mm
Max noise	≤70dB
20GP/40GP/40HQ	129/282/348(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer PM2.5 realtime display



## EAP-AP028

CADR	900m <sup>3</sup> /h
Effective area	117m <sup>2</sup>
Rated power	105W
Rated voltage	220-240V
N.W./G.W	14.5KG/18.2KG
Item size	400*400*720mm
Packing size	502*502*875mm
Max noise	≤70dB
20GP/40GP/40HQ	112/236/299(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer  
 PM2.5 realtime display



## EAP-AP029

CADR	850m <sup>3</sup> /h
Effective area	102m <sup>2</sup>
Rated power	100W
Rated voltage	220-240V
N.W./G.W	14KG/18KG
Item size	410*393*705mm
Packing size	493*480*805mm
Max noise	≤70dB
20GP/40GP/40HQ	131/276/342(PCS)

### Function

Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)  
 High efficiency dust sensor  
 Air quality indicator by color  
 Filter replacement indicator \ children safe lock  
 3 fan speed , auto mode , sleep mode  
 Timer  
 PM2.5 realtime display





### EAP-AP030

CADR	90m <sup>3</sup> /h
Effective area	11m <sup>2</sup>
Rated power	35 W
Rated voltage	110-120V 60Hz 220-240V 50Hz
Item size	195*195*403mm
N.W	2.7KG
Max noise	≤50dB

### Advantages

2/4/8h timer  
Night light  
High/Mid/Low mode  
Warn to replace filter after working 2200h

### EAP-AP031

CADR	90m <sup>3</sup> /h
Effective area	11m <sup>2</sup>
Rated power	35 W
Rated voltage	110-120V 60Hz 220-240V 50Hz
Item size	195*195*403mm
N.W	2.7KG
Max noise	≤50dB

### Advantages

2/4/8h timer  
Night light  
High/Mid/Low mode  
Warn to replace filter after working 2200h



### EAP-AP032

CADR	80m <sup>3</sup> /h
Effective area	9m <sup>2</sup>
Rated power	35 W
Rated voltage	110-120V 60Hz 220-240V 50Hz
Item size	203*203*419mm
N.W	2.7KG
Max noise	≤55dB

### Advantages

2/4/8h timer  
Night light  
High/Mid/Low mode  
Warn to replace filter after working 2200h

### EAP-AP033

CADR	130m <sup>3</sup> /h
Effective area	16m <sup>2</sup>
Rated power	22 W
Rated voltage	110-120V 60Hz 220-240V 50Hz
Item size	195*195*388mm
N.W	2.7KG
Max noise	≤50dB

### Advantages

2/4/8h timer  
Night light  
High/Mid/Low mode  
Warn to replace filter after working 2200h



### EAP-AP034

CADR	130m <sup>3</sup> /h
Effective area	16m <sup>2</sup>
Rated power	22 W
Rated voltage	110-120V 60Hz 220-240V 50Hz
Item size	195*195*388mm
N.W	2.7KG
Max noise	≤50dB

### Advantages

7 color light  
High/Mid/Low mode  
Warn to replace filter after working 2200h

### EAP-AP035

CADR	100m <sup>3</sup> /h
Effective area	12m <sup>2</sup>
Rated power	24W
Rated voltage	110-120V 60Hz 220-240V 50Hz
Item size	226*226*303mm
N.W	2.3KG
Max noise	≤50dB

### Advantages

2/4/8h timer  
Night light  
High/Mid/Low mode





### EAP-CAP001

Effective area	3 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Packing size	463X260X368mm
Item size	75X62X200mm

### Function

Built-in PM2.5 dust sensor  
always sense the surrounding air quality  
Fashionable appearance design  
Input with over-voltage protection and reverse connect  
protection of dual protection system  
DC fan with double ball, low noise, life up to 55,000 hours  
The fashion data line of Type-C is adopted

### EAP-CAP002

Effective area	3 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Packing size	463X260X368mm
Item size	75X62X200mm

### Function

Built-in PM2.5 dust sensor  
always sense the surrounding air quality  
Fashionable appearance design  
Input with over-voltage protection and reverse connect  
protection of dual protection system  
DC fan with double ball, low noise, life up to 55,000 hours  
The fashion data line of Type-C is adopted



### EAP-CAP003

Effective area	3 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Packing size	
Item size	Ø74×196mm

### Function

Primary filter to filter the air floating hair, such as pollen,  
dust, larger particle diameter  
Equip with high number of activated carbon  
Adopt high quality fan, large air volume and low noise  
Built-in negative ion generator  
Use 5 v power supply, USB android common interface  
Start with the car, turn on the power of the car  
According to the design of the interior cup holder position

### EAP-CAP004

Effective area	3 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Packing size	
Item size	Ø74×196mm

### Function

Primary filter to filter the air floating hair, such as pollen,  
dust, larger particle diameter  
Equip with high number of activated carbon  
Adopt high quality fan, large air volume and low noise  
Built-in negative ion generator  
Use 5 v power supply, USB android common interface  
Start with the car, turn on the power of the car  
According to the design of the interior cup holder position



### EAP-CAP005

Effective area	3 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Packing size	
Item size	Ø74×196mm

### Function

Primary filter to filter the air floating hair, such as pollen,  
dust, larger particle diameter  
Equip with high number of activated carbon  
Adopt high quality fan, large air volume and low noise  
Built-in negative ion generator  
Use 5 v power supply, USB android common interface  
Start with the car, turn on the power of the car  
According to the design of the interior cup holder position

### EAP-CAP006

Effective area	3—7 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Noise:	≤55dB
Item size	Ø68×H173mm

### Function

Primary filter to filter the air floating hair, such as pollen,  
dust, larger particle diameter  
Equip with high number of activated carbon  
Adopt high quality fan, large air volume and low noise  
Built-in negative ion generator  
Use 5 v power supply, USB android common interface  
Start with the car, turn on the power of the car  
According to the design of the interior cup holder position





### EAP-CAP007

Effective area	3—7 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Noise:	≤52dB
Item size	∅72×H179mm

### Function

Primary filter to filter the air floating hair, such as pollen, dust, larger particle diameter  
Equip with high number of activated carbon  
Adopt high quality fan, large air volume and low noise  
Built-in negative ion generator  
Use 5 v power supply, USB android common interface  
Start with the car, turn on the power of the car  
According to the design of the interior cup holder position

### EAP-CAP008

Effective area	3-10 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Noise	26-50db
Item size	68mm*68mm*188mm

### Function

The appearance of science and technology sense design  
Dual mode control, automatic mode and manual control mode  
Adopt annular filter screen  
It can be used as a high-grade gift for relatives  
High efficiency purification system, filter replacement prompts



### EAP-CAP009

Effective area	3-10 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Packing size	
Item size	∅150*51mm

### Function

Three million negative oxygen ions  
Remove PM2.5, formaldehyde, smoke and so on  
USB charging port can be used for small room  
3 layer filter  
7 color atmosphere lamp



### EAP-CAP010

Effective area	3-10 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Noise:	<30dB
Item size	75*75*165mm

### Function

3 million negative oxygen ion concentration  
Remove PM2.5, formaldehyde, smoke and so on  
USB charging port  
3 layer filter  
7 color atmosphere lamp



### EAP-CAP011

Effective area	7 m <sup>2</sup>
Rated power	5 W
Rated voltage	12 V
Noise:	≤52dB
Item size	170(W)×170(D)×52(H)mm
Weigh	326g

### Function

Consumables :HEPA net + activated carbon. Multi-stage filtration, in addition to odor, easy to capture all kinds of harmful substances in the air, particulate matter, dust;  
Replacement cycle of consumables :6 months;  
Control: automatic, with the car start, flameout stop;  
Sensor: automatic detection of air quality, keep fresh air at any time  
Indicator light: color LED indicator light, working status indicator;



### EAP-CAP012

Effective area	10 m <sup>2</sup>
Rated power	5 W
Rated voltage	12 V
Weight	626g
Item size	200(W)×200(D)×50(H)mm

### Function

Replacement cycle of consumables :6 months;  
Control: automatic, with the car start, flameout stop;  
Sensor: automatic detection of air quality, keep fresh air at any time  
Indicator light: color LED indicator light, working status indicator;  
Negative ion: built-in negative ion generator, sustainable release of high concentration of negative ions





### EAP-CAP013

Effective area	10 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Noise:	≤32dB
Item size	150×115×51MM

### Function

600 milliampere lithium battery  
It can both humidify and purify the air.  
It can also become a humidifying fan after plugging in a small fan

### EAP-CAP014

Effective area	10 m <sup>2</sup>
Rated power	5 W
Rated voltage	12 V
Noise	30db
Item size	181 x130x36mm

### Function

purification method: HEPA, activated carbon sponge  
mode of power supply: USB/car cigarette lighter  
component of product  
Product color: The black/white



### EAP-CAP015

Effective area	10-20 m <sup>2</sup>
Rated power	3 W
Rated voltage	5 V
Noise	< 32 dB
Item size	170*170*50mm
Weight	0.9kg

### Function

### EAP-CAP016

Effective area	
Rated power	
Rated voltage	
Noise:	<32dB
Item size	180*150*50mm

### Function

Solar energy with built-in battery, in the case of sunlight irradiation, The machine can be in a steady stream of electricity during the work, Customers can also choose to regularly use the data line to charge the product.  
The product purifies the air through the negative ion generator and HEPA filter screen.  
In addition, there are charge bank, mobile phone stand, Vehicle aromatherapy, and other functions.



### EAP-CAP017

Effective area	10-20 m <sup>2</sup>
Rated power	5 W
Rated voltage	12 V
Noise:	≤30dB
Item size	170*170*50mm
Weigh	



# Dehumidifier







### EAP-DH001

Working capacity	300ml /D
Effective area	15m <sup>2</sup>
Rated power	23 W
Voltage	9V
Item size	146x146x227mmH
N.W	1 KG
Max noise	≤50dB
Volume	600ml

#### Advantages

Integrated purifying and dehumidifying machine  
Touch screen  
Auto-off when water is full  
Noise is below 35dB

### EAP-DH002

Working capacity	750 ml /D
Effective area	15-25m <sup>2</sup>
Rated power	45 W
Voltage	100-240V
Item size	196x214x315mmH
N.W	3.2 KG
Max noise	≤50dB
Volume	1000 ml

#### Advantages

Integrated purifying and dehumidifying machine  
Touch screen  
Auto-off when water is full  
Two working modes  
With HEPA Filter,could purify air



### EAP-DH003

Working capacity	300ml /D
Effective area	10-15m <sup>2</sup>
Rated power	23 W
Voltage	9V
Item size	146x146x226mm
N.W	1 KG
Max noise	≤50dB
Volume	600ml

#### Advantages

Touch screen  
Auto-off when water is full  
Noise is below 35dB



### EAP-DH004

Working capacity	750 ml /D
Effective area	15-25m <sup>2</sup>
Rated power	45 W
Voltage	AC100-120V \ 220 - 240V
Item size	196x214x315mm
N.W	3.2 KG
Max noise	≤50dB
Volume	1000 ml

#### Advantages

Integrated purifying and dehumidifying machine  
Touch screen  
Auto-off when water is full  
Two working modes  
With HEPA Filter,could purify air



### EAP-DH005

Working capacity	700 ml /D
Effective area	20m <sup>2</sup>
Rated power	45 W
Voltage	AC100-120V \ 220 - 240V
Item size	193*193*335mm
N.W	3.2 KG
Max noise	≤50dB
Volume	1000 ml

#### Advantages

Integrated purifying and dehumidifying machine  
Touch screen  
Auto-off when water is full  
Two working modes  
With HEPA Filter,could purify air





### EAP-DH006

Working capacity	1500 ml /D
Effective area	15-30 m <sup>2</sup>
Rated power	76 W
Voltage	100-240V
Item size	260x180x405mmH
N.W	4.27 KG
Max noise	≤50dB
Volume	3000 ml

### Advantages


Humidity control, varies from 35% to 85%  
 Auto-off when water is full  
 Standard/sleep mode, Two kinds of working mode,  
 one is more silent  
 It can display current humidity

### EAP-DH007

Working capacity	750 ml /D
Effective area	20 m <sup>2</sup>
Rated power	40 W
Voltage	100-240V
Item size	200*138*359mm
N.W	2.24 KG
Max noise	≤50dB
Volume	2000 ml

### Advantages

With indicator light  
 Two working modes  
 With washable physical mesh  
 Auto-off when water is full



### EAP-DH008

Working capacity	750 ml /D
Effective area	15-25 m <sup>2</sup>
Rated power	40 W
Voltage	100-240V
Item size	228x150x372mmH
N.W	2.5 KG
Volume	2000 ml

### EAP-DH009

Working capacity	300ml /D
Effective area	15 m <sup>2</sup>
Rated power	23 W
Voltage	9V
Item size	228x150x372mm
N.W	0.92 KG
Volume	700ml



### EAP-DH010B

Working capacity	500ml /D
Effective area	10-15 m <sup>2</sup>
Rated power	23 W
Voltage	AC100-120V \ 220 - 240V
Item size	223*158*308MM
N.W	2.3 KG
Volume	1500 ml

### EAP-DH010A

Working capacity	500ml /D
Effective area	20 m <sup>2</sup>
Rated power	40 W
Voltage	100-240V
Item size	230x170x330
N.W	1.65 KG
Volume	1500 ml





## EAP-DH011

Working capacity	7000 ml /D
Effective area	40 m <sup>2</sup>
Rated power	650 W
Voltage	100-240V
Item size	260x180x405mmH
N.W	6 KG
Max noise	≤53dB
Volume	2500 ml

### Advantages

Strong moisture absorption  
 Three working modes  
 Auto-off when water is full  
 Weight is lighter, Volume is smaller  
 Suitable in low temperature environment  
 Much easier to repair, could change the desiccant roto

## EAP-DH012

Working capacity	6-8 L /D
Effective area	20 m <sup>2</sup>
Rated power	650 W
Voltage	100-240V
Item size	295*285*470mm
N.W	6 KG
Max noise	≤53dB
Volume	2500 ml

### Advantages

Strong moisture absorption  
 Three working modes  
 Auto-off when water is full  
 Weight is lighter, Volume is smaller  
 Suitable in low temperature environment  
 Much easier to repair, could change the desiccant roto



## EAP-DH013

Working capacity	60 ml /D
Effective area	5 m <sup>2</sup>
N.W	430g



## EAP-DH014

Working capacity	150 ml /cycle
Effective area	0-5 m <sup>2</sup>
Rated power	25 W
Voltage	AC100-120V \ 220 - 240V
Item size	174*114*50mm
N.W	630g

### Advantages

With indicator light  
 2 pieces of PTC heating fin  
 Rechargeable and recycled more than 300 times  
 Material: Anti-flaming ABS plastic



## EAP-DH015

Working capacity	300ml /cycle
Effective area	5 m <sup>2</sup>
Rated power	20 W
Voltage	110-240V
Item size	165x103x42mm
N.W	0.48 KG
Volume	1500 ml





### EAP-DH017

Working capacity	300 /cycle
Effective area	0-5 m <sup>2</sup>
Rated power	20 W
Voltage	100-240V
Item size	165x80x40mm
N.W	0.41KG

### Advantage

With indicator light  
 Rechargeable and recycled more than 300times  
 Material:Anti-flaming ABS plastic

### EAP-DH016

Working capacity	100ml /cycle
Effective area	0-5 m <sup>2</sup>
Rated power	45 W
Voltage	100-240V
Item size	120*120*270mm

### Advantage

With indicator light  
 With charging base for quick recovery  
 Rechargeable and recycled more than 300times  
 Material:Anti-flaming ABS plastic



# Humidifier





### EAP-H001

Working capacity	220ml/h
Effective area	15-25 m <sup>2</sup>
Rated power	48 W
Voltage	100-240V
Item size	240*112*218mm
Volume	2.2 L

### Advantage

Auto-off when water runs out  
High/Mid/Low mode  
One button operation  
With water level indicator light

### EAP-H002

Working capacity	220ml/h
Effective area	25 m <sup>2</sup>
Rated power	20 W
Voltage	AC100-120V \ 220 - 240V
Item size	320*170*320mm
Volume	3 L

### Advantage

Auto-off when water runs out  
High/Mid/Low mode  
Humidification Method: Evaporation



### EAP-H003

Working capacity	300ml/L
Effective area	15-25 m <sup>2</sup>
Rated power	25 W
Voltage	220-240V
Item size	171*171.5*316.5mm
Volume	4 L
N.W/G.W	1.9KG/2.6KG
Noise	≤35dB
20GP/40GP/40HQ	1452/2976/3570(PCS)

### Function

Ultrasonic humidification  
Timer  
3 speed mist control , auto mode  
Humidity digital display  
Air ionizer control  
Sleep mode



### EAP-H004

Working capacity	280 ml/L
Effective area	15-25 m <sup>2</sup>
Rated power	28 W
Voltage	220-240V
Item size	184*184*303mm
Volume	3.5 L
N.W/G.W	1.9KG/2.6KG
Noise	≤35dB
20GP/40GP/40HQ	1260/2604/3006(PCS)

### Function

Ultrasonic humidification  
Air ionizer control  
Timer  
3 speed mist control , auto mode  
Humidity digital display  
LCD display Sleep mode



### EAP-H005

Working capacity	280 ml/L
Effective area	15-25 m <sup>2</sup>
Rated power	28 W
Voltage	220-240V
Item size	184*184*303mm
Volume	3.5 L
N.W/G.W	1.9KG/2.6KG
Noise	≤35dB
20GP/40GP/40HQ	1260/2604/3006(PCS)

### Function

Ultrasonic humidification  
3 speed mist control  
Sleep mode

### BJS-30C

Working capacity	280 ml/L
Effective area	15-25 m <sup>2</sup>
Rated power	28 W
Voltage	220-240V
Item size	184*184*303mm
Volume	3.5 L
N.W/G.W	1.9KG/2.6KG
Noise	≤35dB
20GP/40GP/40HQ	1260/2604/3006(PCS)

### Function

Ultrasonic humidification  
Air ionizer control  
Timer  
3 speed mist control , auto mode  
Humidity digital display  
LCD display Sleep mode





### EAP-H007

Working capacity	220ml/L
Effective area	15-25 m <sup>2</sup>
Rated power	25 W
Voltage	220-240V
Item size	175*205*317mm
Volume	4 L
N.W/G.W	0.983KG/ KG
Noise	≤38dB
20GP/40GP/40HQ	1872/3876/4632(PCS)

### Function

Ultrasonic humidification  
3 speed mist control



### EAP-H008

Working capacity	250ml/L
Effective area	15-25 m <sup>2</sup>
Rated power	25 W
Voltage	220-240V
Item size	180*180*318mm
Volume	4 L
N.W/G.W	1.9KG/2.3KG
Noise	≤35dB
20GP/40GP/40HQ	209/426/514(PCS)

### Advantage

Ultrasonic humidification  
3 speed mist control  
Sleep mode

### EAP-H008A

Working capacity	250 ml/L
Effective area	15-25 m <sup>2</sup>
Rated power	25 W
Voltage	220-240V
Item size	180*180*318mm
Volume	4 L
N.W/G.W	1.9KG/2.3KG
Noise	≤35dB
20GP/40GP/40HQ	1212/2484/2970(PCS)

### Advantage

Ultrasonic humidification  
3 speed mist control  
Sleep mode



### EAP-H009

Working capacity	
Effective area	
Rated power	
Voltage	220V
Item size	230*230*345mm
Volume	3.5 L
N.W/G.W	
Noise	≤58dB
20GP/40GP/40HQ	794/1632/1968(PCS)

### Advantage

Ultrasonic humidification  
3 speed mist control  
Sleep silence mode



# Aroma Diffuser

Make your life more artistic



## EAP-AD001

Working capacity	
Effective area	10-15m <sup>2</sup>
Rated power	7W
Voltage	220V
Item size	91x91x151mm
Volume	120ml
N.W	235g

## Advantage

Warm yellow color light helps better sleep  
With 2h timer



## EAP-AD002

Working capacity	
Effective area	10-15m <sup>2</sup>
Rated power	7W
Voltage	5 V
Item size	105x105x132mm
Volume	100ml
N.W	235g

## Advantage

Warm yellow light  
With USB plug  
Auto-off (the light and mist) when open the cover of water runs out  
Noise is below 25dB  
PP+PC water tank+ABS plastic





### EAP-AD003

Effective area	15-25m <sup>2</sup>
Rated power	10W
Voltage	24 V
Item size	160x160x 113mm
Volume	300ml
N.W	1200g

#### Advantage

7 color light  
2/4/6h timer  
Strong / Standard mist  
Auto-off when water runs out  
Noise is below 25dB  
PP+PC water tank+ABS plastic

### EAP-AD003

Effective area	15-25m <sup>2</sup>
Rated power	10W
Voltage	24 V
Item size	160x160x 126mm
Volume	300ml
N.W	1200g

#### Advantage

7 color light  
2/4/6h timer  
Strong / Standard mist  
Auto-off when water runs out  
Noise is below 25dB  
PP+PC water tank+ABS plastic



### EAP-AD005

Effective area	20m <sup>2</sup>
Rated power	10W
Voltage	24 V
Item size	160x160x 113mm
Volume	300ml
N.W	0.74KG

#### Advantage

7 color light  
2/4/6h timer  
Strong / Standard mist  
Auto-off when water runs out  
Noise is below 25dB  
PP+PC water tank+ABS plastic



### EAP-AD006A

Effective area	15-30m <sup>2</sup>
Rated power	12W
Voltage	24 V
Item size	160x160x226mm
Volume	500ml
N.W	910g

#### Advantage

7 color light  
2/4/6h timer  
Strong / Standard mist  
Auto-off when water runs out  
Noise is below 25dB  
PP+PC water tank+ABS plastic



### EAP-AD006B

Effective area	15-30m <sup>2</sup>
Rated power	12W
Voltage	24 V
Item size	160x160x226mm
Volume	500ml
N.W	910g

#### Advantage

7 color light  
2/4/6h timer  
Strong / Standard mist  
Auto-off when water runs out  
Noise is below 25dB  
PP+PC water tank+ABS plastic

### EAP-AD006C

Effective area	15-30m <sup>2</sup>
Rated power	12W
Voltage	24 V
Item size	160x160x 224mm
Volume	500ml
N.W	910g

#### Advantage

7 color light  
2/4/6h timer  
Strong / Standard mist  
Auto-off when water runs out  
Noise is below 25dB  
PP+PC water tank+ABS plastic







### EAP-AD007

Effective area	15-25m <sup>2</sup>
Rated power	12W
Voltage	12 V
Item size	160x160x135mm
Volume	300ml
N.W	0.568KG

### Advantage

7 color light  
1/2/3h timer  
Strong / Standard mist  
Auto-off when water runs out  
Noise is below 25dB  
PP+PC water tank+ABS plastic

### EAP-AD008A

Effective area	15-25m <sup>2</sup>
Rated power	8W
Voltage	24 V
Item size	160x160x220mm
Volume	400ml
N.W	410g

### Advantage

Inspiration comes from water lilies  
Make your life more artistic



### EAP-AD008B

Effective area	15-25m <sup>2</sup>
Rated power	10W
Voltage	24 V
Item size	160x160x125mm
Volume	400ml
N.W	0.47KG

### Advantage

7 color light  
1/3/6h timer  
Strong / Standard mist  
Auto-off when water runs out  
Noise is below 25dB  
PP+PC water tank+ABS plastic

